

# SVM-BURIED - Analisi Valori Singolari Training Set Al Variare Del Numero Di Campioni E Dei Baricentri Di Training

A. Franzoso

## Abstract

L'approccio basato sull'utilizzo di SVM per la detection di discontinuità sottosuperficiali permette di avere una stima della probabilità di presenza in tempo reale. Tuttavia, è indispensabile una fase di training durante la quale viene generata una funzione decisione a partire da esempi noti (approccio learning-by-example). Le prestazioni del metodo cambiano considerevolmente a seconda di come viene generato il training set e come vengono scelti i campioni di training. L'attività ha lo scopo di analizzare un set di casistiche che mettano in luce il comportamento di alcuni parametri caratteristici dell'SVM al variare dei training set considerati.

**Reference Bibliography:** Support Vector Machine [8]-[14]; Inverse Scattering [1]-[7], [15]-[26].

- [1] S. C. Hagness, E. C. Fear, and A. Massa, "Guest Editorial: Special Cluster on Microwave Medical Imaging", *IEEE Antennas Wireless Propag. Lett.*, vol. 11, pp. 1592-1597, 2012.
- [2] G. Oliveri, Y. Zhong, X. Chen, and A. Massa, "Multi-resolution subspace-based optimization method for inverse scattering," *Journal of Optical Society of America A*, vol. 28, no. 10, pp. 2057-2069, Oct. 2011.
- [3] A. Randazzo, G. Oliveri, A. Massa, and M. Pastorino, "Electromagnetic inversion with the multiscaling inexact-Newton method - Experimental validation," *Microwave Opt. Technol. Lett.*, vol. 53, no. 12, pp. 2834-2838, Dec. 2011.
- [4] G. Oliveri, L. Lizzi, M. Pastorino, and A. Massa, "A nested multi-scaling inexact-Newton iterative approach for microwave imaging," *IEEE Trans. Antennas Propag.*, vol. 60, no. 2, pp. 971-983, Feb. 2012.
- [5] G. Oliveri, A. Randazzo, M. Pastorino, and A. Massa, "Electromagnetic imaging within the contrast-source formulation by means of the multiscaling inexact Newton method," *Journal of Optical Society of America A*, vol. 29, no. 6, pp. 945-958, 2012.
- [6] M. Benedetti, D. Lesselier, M. Lambert, and A. Massa, "Multiple shapes reconstruction by means of multi-region level sets," *IEEE Trans. Geosci. Remote Sensing*, vol. 48, no. 5, pp. 2330-2342, May 2010.
- [7] M. Benedetti, D. Lesselier, M. Lambert, and A. Massa, "A multi-resolution technique based on shape optimization for the reconstruction of homogeneous dielectric objects," *Inverse Problems*, vol. 25, no. 1, pp. 1-26, Jan. 2009.
- [8] L. Lizzi, F. Viani, M. Benedetti, P. Rocca, and A. Massa, "The M-DSO-ESPRIT method for maximum likelihood DoA estimation," *Progress in Electromagnetic Research*, vol. 80, pp. 477-497, 2008.

- [9] M. Donelli, F. Viani, P. Rocca, and A. Massa, "An innovative multi-resolution approach for DoA estimation based on a support vector classification," *IEEE Trans. Antennas Propag.*, vol. 57, no. 8, pp. 2279-2292, Aug. 2009.
- [10] L. Lizzi, G. Oliveri, P. Rocca, and A. Massa, "Estimation of the direction-of-arrival of correlated signals by means of a SVM-based multi-resolution approach," *IEEE Antennas Propag. Society International Symposium (APSURSI)*, Toronto, ON, Canada, pp. 1-4, 11-17 Jul. 2010.
- [11] F. Viani, P. Rocca, M. Benedetti, G. Oliveri, and A. Massa, "Electromagnetic passive localization and tracking of moving targets in a WSN-structured environment," *Inverse Problems - Special Issue on "Electromagnetic Inverse Problems: Emerging Methods and Novel Applications"*, vol. 26, pp. 1-15, May 2010.
- [12] F. Viani, P. Rocca, G. Oliveri, D. Trincherò, and A. Massa, "Localization, tracking and imaging of targets in wireless sensor network: An invited review," *Radio Science*, vol. 46, 2011.
- [13] F. Viani, L. Lizzi, P. Rocca, M. Benedetti, M. Donelli, and A. Massa, "Object tracking through RSSI measurements in wireless sensor networks," *Electronics Letters*, vol. 44, no. 10, pp. 653-654, 2008.
- [14] F. Viani, P. Rocca, G. Oliveri, and A. Massa, "Electromagnetic tracking of transceiver-free targets in wireless networked environments," *6th European Conference on Antennas Propag. (EuCAP 2011)*, Rome, Italy, pp. 3808-3811, Apr. 11-15, 2011 (Invited paper).
- [15] M. Donelli, D. Franceschini, P. Rocca, and A. Massa, "Three-dimensional microwave imaging problems solved through an efficient multi-scaling particle swarm optimization," *IEEE Trans. Geosci. Remote Sensing*, vol. 47, no. 5, pp. 1467-1481, May 2009.
- [16] M. Benedetti, G. Franceschini, R. Azaro, and A. Massa, "A numerical assessment of the reconstruction effectiveness of the integrated GA-based multicrack strategy," *IEEE Antennas Wireless Propag. Lett.*, vol. 6, pp. 271-274, 2007.
- [17] P. Rocca, M. Carlin, G. Oliveri, and A. Massa, "Interval analysis as applied to inverse scattering," *IEEE International Symposium on Antennas Propag. (APS/URSI 2013)*, Chicago, Illinois, USA, Jul. 8-14, 2012.
- [18] L. Manica, P. Rocca, M. Salucci, M. Carlin, and A. Massa, "Scattering data inversion through interval analysis under Rytov approximation," *7th European Conference on Antennas Propag. (EuCAP 2013)*, Gothenburg, Sweden, Apr. 8-12, 2013.
- [19] P. Rocca, M. Carlin, and A. Massa, "Imaging weak scatterers by means of an innovative inverse scattering technique based on the interval analysis," *6th European Conference on Antennas Propag. (EuCAP 2012)*, Prague, Czech Republic, Mar. 26-30, 2012.
- [20] L. Poli, G. Oliveri, and A. Massa, "Imaging sparse metallic cylinders through a Local Shape Function Bayesian Compressive Sensing approach," *Journal of Optical Society of America A*, vol. 30, no. 6, pp. 1261-1272, 2013.
- [21] F. Viani, L. Poli, G. Oliveri, F. Robol, and A. Massa, "Sparse scatterers imaging through approximated multitask compressive sensing strategies," *Microwave Opt. Technol. Lett.*, vol. 55, no. 7, pp. 1553-1558, Jul. 2013.
- [22] L. Poli, G. Oliveri, P. Rocca, and A. Massa, "Bayesian compressive sensing approaches for the reconstruction of two-dimensional sparse scatterers under TE illumination," *IEEE Trans. Geosci. Remote Sensing*, vol. 51, no. 5, pp. 2920-2936, May. 2013.
- [23] L. Poli, G. Oliveri, and A. Massa, "Microwave imaging within the first-order Born approximation by means of the contrast-field Bayesian compressive sensing," *IEEE Trans. Antennas Propag.*, vol. 60, no. 6, pp. 2865-2879, Jun. 2012.
- [24] G. Oliveri, P. Rocca, and A. Massa, "A bayesian compressive sampling-based inversion for imaging sparse scatterers," *IEEE Trans. Geosci. Remote Sensing*, vol. 49, no. 10, pp. 3993-4006, Oct. 2011.

- [25] G. Oliveri, L. Poli, P. Rocca, and A. Massa, "Bayesian compressive optical imaging within the Rytov approximation," *Optics Letters*, vol. 37, no. 10, pp. 1760-1762, 2012.
- [26] L. Poli, G. Oliveri, F. Viani, and A. Massa, "MT-BCS-based microwave imaging approach through minimum-norm current expansion," *IEEE Trans. Antennas Propag.*, in press.  
doi:10.1109/TAP.2013.2265254

*This report is submitted in partial fulfillment of the degree of the course "TADIB".  
Supervisors: Prof. Andrea Massa, Dr. Federico Viani.*