

Reconfigurable Planar Array Synthesis through MT-BCS

C. Nardin

Abstract

Le applicazioni di tipo monopulse radar richiedono la realizzazione di antenne in grado di generare due diversi pattern, un pattern somma ed un pattern differenza. Per raggiungere questo obiettivo, al giorno d'oggi vengono utilizzati per lo più array di antenne, dove ciascun pattern viene generato mediante reti di alimentazione separate e indipendenti. Tale soluzione, nonostante permetta l'ottenimento di prestazioni eccellenti, risulta molto costosa, in quanto richiede di raddoppiare la complessità della rete di alimentazione.

Per ridurre questo svantaggio, un approccio molto diffuso consiste nel ridurre il più possibile il numero di elementi dell'array, riducendo di conseguenza anche la complessità della rete di alimentazione. Ciò è possibile tramite l'utilizzo di array con geometria di tipo sparso, ovvero con elementi non equispaziati: in questo tipo array la posizione degli elementi viene sfruttata come ulteriore grado di libertà in fase di design, permettendo di soddisfare i requisiti di progetto (e.g. sul pattern radiato) utilizzando meno elementi rispetto al caso uniforme.

L'utilizzo di due reti di alimentazione ci permette quindi di modificare il pattern di radiazione dell'array modificando le eccitazioni applicate a ciascun elemento: la stessa cosa non si può però fare con le posizioni degli elementi (che sono utilizzate come parametro per la sintesi). Risulta quindi di fondamentale importanza la possibilità di definire un set di posizioni che sia ottimale per entrambi i pattern che andiamo a sintetizzare.

In questo ambito, la teoria del Compressive Sampling, recentemente introdotta nell'ambito del signal processing, può rappresentare una metodologia innovativa per la progettazione di array sparsi riconfigurabili. Obiettivo delle tecniche di Compressive Sampling, infatti, è la ricostruzione di segnali incogniti a partire da un numero ridotto di campioni rappresentativi. Una possibile metodologia di progettazione di array riconfigurabili che utilizzi tali tecniche si può basare perciò sul seguente approccio:

- scelta del pattern desiderato per i due array (e conseguente scelta dell'eccitazione dell'apertura corrispondente a pattern somma e a pattern differenza)
- selezione ottimale dei punti di campionamento (spaziale) dell'apertura, mediante Multi-Task Bayesian Compressive Sampling ed imponendo il vincolo che per i due array tali punti devono essere gli stessi
- calcolo dei coefficienti di eccitazione per ogni punto di campionamento (elemento radiante) dei due array mediante Multi-Task Bayesian Compressive Sampling (MT-BCS)

I vantaggi di tale approccio sarebbero legati alla possibilità di ottenere sottocampionamenti molto significativi dell'apertura (spaziatura molto al di sopra del criterio di Nyquist, cioè $\lambda/2$) pur ottenendo prestazioni estremamente elevate e senza necessità di alcuna ottimizzazione.

Obiettivo dell'attività è quindi quello di sviluppare e analizzare una tecnica basata su MT-BCS che permetta la sintesi di due array PLANARI sparsi:

- ciascuno con un diverso pattern (somma e differenza)
- con posizioni degli elementi uguali e ottimali per entrambi gli array.

Reference Bibliography: Compressive Sensing and Array Synthesis [1]-[4]; Compressive Sensing [5]-[14]; Array Synthesis [15]-[73].

- [1] G. Oliveri and A. Massa, "Bayesian compressive sampling for pattern synthesis with maximally sparse non-uniform linear arrays," *IEEE Trans. Antennas Propag.*, vol. 59, no. 2, pp. 467-481, Feb. 2011.
- [2] G. Oliveri, M. Carlin, and A. Massa, "Complex-weight sparse linear array synthesis by Bayesian Compressive Sampling," *IEEE Trans. Antennas Propag.*, vol. 60, no. 5, pp. 2309-2326, May 2012.
- [3] G. Oliveri, P. Rocca, and A. Massa, "Reliable Diagnosis of Large Linear Arrays - A Bayesian Compressive Sensing Approach," *IEEE Trans. Antennas Propag.*, vol. 60, no. 10, pp. 4627-4636, Oct. 2012.
- [4] F. Viani, G. Oliveri, and A. Massa, "Compressive sensing pattern matching techniques for synthesizing planar sparse arrays" *IEEE Trans. Antennas Propag.*, in press. doi:10.1109/TAP.2013.2267195
- [5] L. Poli, G. Oliveri, and A. Massa, "Imaging sparse metallic cylinders through a Local Shape Function Bayesian Compressive Sensing approach," *Journal of Optical Society of America A*, vol. 30, no. 6, pp. 1261-1272, 2013.
- [6] F. Viani, L. Poli, G. Oliveri, F. Robol, and A. Massa, "Sparse scatterers imaging through approximated multitask compressive sensing strategies," *Microwave Opt. Technol. Lett.*, vol. 55, no. 7, pp. 1553-1558, Jul. 2013.
- [7] L. Poli, G. Oliveri, P. Rocca, and A. Massa, "Bayesian compressive sensing approaches for the reconstruction of two-dimensional sparse scatterers under TE illumination," *IEEE Trans. Geosci. Remote Sensing*, vol. 51, no. 5, pp. 2920-2936, May. 2013.
- [8] L. Poli, G. Oliveri, and A. Massa, "Microwave imaging within the first-order Born approximation by means of the contrast-field Bayesian compressive sensing," *IEEE Trans. Antennas Propag.*, vol. 60, no. 6, pp. 2865-2879, Jun. 2012.
- [9] G. Oliveri, P. Rocca, and A. Massa, "A bayesian compressive sampling-based inversion for imaging sparse scatterers," *IEEE Trans. Geosci. Remote Sensing*, vol. 49, no. 10, pp. 3993-4006, Oct. 2011.
- [10] G. Oliveri, L. Poli, P. Rocca, and A. Massa, "Bayesian compressive optical imaging within the Rytov approximation," *Optics Letters*, vol. 37, no. 10, pp. 1760-1762, 2012.
- [11] L. Poli, G. Oliveri, F. Viani, and A. Massa, "MT-BCS-based microwave imaging approach through minimum-norm current expansion," *IEEE Trans. Antennas Propag.*, in press. doi:10.1109/TAP.2013.2265254
- [12] M. Carlin, P. Rocca, G. Oliveri, F. Viani, and A. Massa, "Directions-of-Arrival Estimation through Bayesian Compressive Sensing strategies," *IEEE Trans. Antennas Propag.*, in press.

- [13] M. Carlin, P. Rocca, "A Bayesian compressive sensing strategy for direction-of-arrival estimation," 6th European Conference on Antennas Propag. (EuCAP 2012), Prague, Czech Republic, pp. 1508-1509, 26-30 Mar. 2012.
- [14] M. Carlin, P. Rocca, G. Oliveri, and A. Massa, "Bayesian compressive sensing as applied to directions-of-arrival estimation in planar arrays," *Journal of Electrical and Computer Engineering*, Special Issue on "Advances in Radar Technologies," in press.
- [15] P. Rocca, L. Manica, and A. Massa, "An improved excitation matching method based on an ant colony optimization for suboptimal-free clustering in sum-difference compromise synthesis," *IEEE Trans. Antennas Propag.*, vol. 57, no. 8, pp. 2297-2306, Aug. 2009.
- [16] P. Rocca, L. Manica, and A. Massa, "Ant colony based hybrid approach for optimal compromise sum-difference patterns synthesis," *Microwave Opt. Technol. Lett.*, vol. 52, no. 1, pp. 128-132, Jan. 2010.
- [17] P. Rocca, L. Manica, and A. Massa, "Hybrid approach for sub-arrayed monopulse antenna synthesis," *Electronics Letters*, vol. 44, no. 2, pp. 75-76, Jan. 2008.
- [18] P. Rocca, L. Manica, F. Stringari, and A. Massa, "Ant colony optimization for tree-searching based synthesis of monopulse array antenna," *Electronics Letters*, vol. 44, no. 13, pp. 783-785, Jun. 19, 2008.
- [19] L. Poli, P. Rocca, G. Oliveri, and A. Massa, "Adaptive nulling in time-modulated linear arrays with minimum power losses," *IET Microwaves, Antennas & Propagation*, vol. 5, no. 2, pp. 157-166, 2011.
- [20] P. Rocca, L. Poli, G. Oliveri, and A. Massa, "Adaptive nulling in time-varying scenarios through time-modulated linear arrays," *IEEE Antennas Wireless Propag. Lett.*, vol. 11, pp. 101-104, 2012.
- [21] M. Benedetti, G. Oliveri, P. Rocca, and A. Massa, "A fully-adaptive smart antenna prototype: ideal model and experimental validation in complex interference scenarios," *Progress in Electromagnetic Research, PIER 96*, pp. 173-191, 2009.
- [22] M. Benedetti, R. Azaro, and A. Massa, "Memory enhanced PSO-based optimization approach for smart antennas control in complex interference scenarios," *IEEE Trans. Antennas Propag.*, vol. 56, no. 7, pp. 1939-1947, Jul. 2008.
- [23] M. Benedetti, R. Azaro, and A. Massa, "Experimental validation of a fully-adaptive smart antenna prototype," *Electronics Letters*, vol. 44, no. 11, pp. 661-662, May 2008.
- [24] R. Azaro, L. Ioriatti, M. Martinelli, M. Benedetti, and A. Massa, "An experimental realization of a fully-adaptive smart antenna," *Microwave Opt. Technol. Lett.*, vol. 50, no. 6, pp. 1715-1716, Jun. 2008.
- [25] M. Donelli, R. Azaro, L. Fimognari, and A. Massa, "A planar electronically reconfigurable Wi-Fi band antenna based on a parasitic microstrip structure," *IEEE Antennas Wireless Propag. Lett.*, vol. 6, pp. 623-626, 2007.
- [26] M. Benedetti, R. Azaro, D. Franceschini, and A. Massa, "PSO-based real-time control of planar uniform circular arrays," *IEEE Antennas Wireless Propag. Lett.*, vol. 5, pp. 545-548, 2006.
- [27] F. Viani, L. Lizzi, M. Donelli, D. Pregolato, G. Oliveri, and A. Massa, "Exploitation of smart antennas in wireless sensor networks," *Journal of Electromagnetic Waves and Applications*, vol. 24, no. 5/6, pp. 993-1003, 2010.
- [28] E. T. Bekele, L. Poli, M. D'Urso, P. Rocca, and A. Massa, "Pulse-shaping strategy for time modulated arrays - Analysis and design," *IEEE Trans. Antennas Propag.*, in press.
- [29] P. Rocca, L. Poli, G. Oliveri, and A. Massa, "A multi-stage approach for the synthesis of sub-arrayed time modulated linear arrays," *IEEE Trans. Antennas Propag.*, vol. 59, no. 9, pp. 3246-3254, Sep. 2011.

- [30] L. Poli, P. Rocca, G. Oliveri, and A. Massa, "Harmonic beamforming in time-modulated linear arrays," *IEEE Trans. Antennas Propag.*, vol. 59, no. 7, pp. 2538-2545, Jul. 2011.
- [31] L. Poli, P. Rocca, L. Manica, and A. Massa, "Handling sideband radiations in time-modulated arrays through particle swarm optimization," *IEEE Trans. Antennas Propag.*, vol. 58, no. 4, pp. 1408-1411, Apr. 2010.
- [32] P. Rocca, L. Poli, G. Oliveri, and A. Massa, "Adaptive nulling in time-varying scenarios through time-modulated linear arrays," *IEEE Antennas Wireless Propag. Lett.*, vol. 11, pp. 101-104, 2012.
- [33] P. Rocca, L. Poli, and A. Massa, "Instantaneous directivity optimization in time-modulated array receivers," *IET Microwaves, Antennas & Propagation*, vol. 6, no. 14, pp. 1590-1597, Nov. 2012.
- [34] P. Rocca, L. Poli, L. Manica, and A. Massa, "Synthesis of monopulse time-modulated planar arrays with controlled sideband radiation," *IET Radar, Sonar & Navigation*, vol. 6, no. 6, pp. 432-442, 2012.
- [35] L. Poli, P. Rocca, and A. Massa, "Sideband radiation reduction exploiting pattern multiplication in directive time-modulated linear arrays," *IET Microwaves, Antennas & Propagation*, vol. 6, no. 2, pp. 214-222, 2012.
- [36] L. Poli, P. Rocca, G. Oliveri, and A. Massa, "Adaptive nulling in time-modulated linear arrays with minimum power losses," *IET Microwaves, Antennas & Propagation*, vol. 5, no. 2, pp. 157-166, 2011.
- [37] L. Poli, P. Rocca, L. Manica, and A. Massa, "Time modulated planar arrays - Analysis and optimization of the sideband radiations," *IET Microwaves, Antennas & Propagation*, vol. 4, no. 9, pp. 1165-1171, 2010.
- [38] L. Poli, P. Rocca, L. Manica, and A. Massa, "Pattern synthesis in time-modulated linear arrays through pulse shifting," *IET Microwaves, Antennas & Propagation*, vol. 4, no. 9, pp. 1157-1164, 2010.
- [39] P. Rocca, L. Poli, G. Oliveri, and A. Massa, "Synthesis of time-modulated planar arrays with controlled harmonic radiations," *Journal of Electromagnetic Waves and Applications*, vol. 24, no. 5/6, pp. 827-838, 2010.
- [40] L. Manica, P. Rocca, L. Poli, and A. Massa, "Almost time-independent performance in time-modulated linear arrays," *IEEE Antennas Wireless Propag. Lett.*, vol. 8, pp. 843-846, 2009.
- [41] P. Rocca, L. Manica, L. Poli, and A. Massa, "Synthesis of compromise sum-difference arrays through time-modulation," *IET Radar, Sonar & Navigation*, vol. 3, no. 6, pp. 630-637, 2009.
- [42] P. Rocca, L. Manica, R. Azaro, and A. Massa, "A hybrid approach for the synthesis of sub-arrayed monopulse linear arrays," *IEEE Trans. Antennas Propag.*, vol. 57, no. 1, pp. 280-283, Jan. 2009.
- [43] L. Manica, P. Rocca, M. Benedetti, and A. Massa, "A fast graph-searching algorithm enabling the efficient synthesis of sub-arrayed planar monopulse antennas," *IEEE Trans. Antennas Propag.*, vol. 57, no. 3, pp. 652-664, Mar. 2009.
- [44] P. Rocca, L. Manica, A. Martini, and A. Massa, "Compromise sum-difference optimization through the iterative contiguous partition method," *IET Microwaves, Antennas & Propagation*, vol. 3, no. 2, pp. 348-361, 2009.
- [45] L. Manica, P. Rocca, and A. Massa, "An excitation matching procedure for sub-arrayed monopulse arrays with maximum directivity," *IET Radar, Sonar & Navigation*, vol. 3, no. 1, pp. 42-48, Feb. 2009.
- [46] L. Manica, P. Rocca, A. Martini, and A. Massa, "An innovative approach based on a tree-searching algorithm for the optimal matching of independently optimum sum and difference excitations," *IEEE Trans. Antennas Propag.*, vol. 56, no. 1, pp. 58-66, Jan. 2008.

- [47] P. Rocca, L. Manica, and A. Massa, "Synthesis of monopulse antennas through the iterative contiguous partition method," *Electronics Letters*, vol. 43, no. 16, pp. 854-856, Aug. 2007.
- [48] P. Rocca, L. Manica, A. Martini, and A. Massa, "Synthesis of large monopulse linear arrays through a tree-based optimal excitations matching," *IEEE Antennas Wireless Propag. Lett.*, vol. 7, pp. 436-439, 2007.
- [49] P. Rocca, L. Manica, and A. Massa, "An effective excitation matching method for the synthesis of optimal compromises between sum and difference patterns in planar arrays," *Progress in Electromagnetic Research B*, vol. 3, pp. 115-130, 2008.
- [50] P. Rocca, L. Manica, and A. Massa, "Directivity optimization in planar sub-arrayed monopulse antenna," *Progress in Electromagnetic Research L*, vol. 4, pp. 1-7, 2008.
- [51] G. Oliveri, "Multi-beam antenna arrays with common sub-array layouts," *IEEE Antennas Wireless Propag. Lett.*, vol. 9, pp. 1190-1193, 2010.
- [52] P. Rocca, R. Haupt, and A. Massa, "Sidelobe reduction through element phase control in sub-arrayed array antennas," *IEEE Antennas Wireless Propag. Lett.*, vol. 8, pp. 437-440, 2009.
- [53] P. Rocca, L. Manica, M. Pastorino, and A. Massa, "Boresight slope optimization of sub-arrayed linear arrays through the contiguous partition method," *IEEE Antennas Wireless Propag. Lett.*, vol. 8, pp. 253-257, 2008.
- [54] L. Manica, P. Rocca, G. Oliveri, and A. Massa, "Synthesis of multi-beam sub-arrayed antennas through an excitation matching strategy," *IEEE Trans. Antennas Propag.*, vol. 59, no. 2, pp. 482-492, Feb. 2011.
- [55] L. Manica, P. Rocca, and A. Massa, "Design of subarrayed linear and planar array antennas with SLL control based on an excitation matching approach," *IEEE Trans. Antennas Propag.*, vol. 57, no. 6, pp. 1684-1691, Jun. 2009.
- [56] P. Rocca, R. L. Haupt, and A. Massa, "Interference suppression in uniform linear array through a dynamic thinning strategy," *IEEE Trans. Antennas Propag.*, vol. 59, no. 12, pp. 4525-4533, Dec. 2011.
- [57] P. Rocca, L. Manica, N. Anselmi, and A. Massa, "Analysis of the pattern tolerances in linear arrays with arbitrary amplitude errors," *IEEE Antennas Wireless Propag. Lett.*, vol. 12, pp. 639-642, 2013.
- [58] L. Manica, P. Rocca, N. Anselmi, and A. Massa, "On the synthesis of reliable linear arrays through interval arithmetic," *IEEE International Symposium on Antennas Propag. (APS/URSI 2013)*, Orlando, Florida, USA, Jul. 7-12, 2013 (accepted).
- [59] L. Manica, P. Rocca, G. Oliveri, and A. Massa, "Designing radiating systems through interval analysis tools," *IEEE International Symposium on Antennas Propag. (APS/URSI 2013)*, Orlando, Florida, USA, Jul. 7-12, 2013 (accepted).
- [60] M. Carlin, N. Anselmi, L. Manica, P. Rocca, and A. Massa, "Exploiting interval arithmetic for predicting real arrays performances - The linear case," *IEEE International Symposium on Antennas Propag. (APS/URSI 2013)*, Orlando, Florida, USA, Jul. 7-12, 2013 (accepted).
- [61] G. Oliveri, L. Manica, and A. Massa, "ADS-Based guidelines for thinned planar arrays," *IEEE Trans. Antennas Propag.*, vol. 58, no. 6, pp. 1935-1948, Jun. 2010.
- [62] G. Oliveri and A. Massa, "ADS-based array design for 2D and 3D ultrasound imaging," *IEEE Trans. Ultrasonics, Ferroelectrics, and Frequency Control*, vol. 57, no. 7, pp. 1568-1582, Jul. 2010.
- [63] G. Oliveri and A. Massa, "GA-Enhanced ADS-based approach for array thinning," *IET Microwaves, Antennas & Propagation*, vol. 5, no. 3, pp. 305-315, 2011.
- [64] G. Oliveri, F. Caramanica, C. Fontanari, and A. Massa, "Rectangular thinned arrays based on McFarland difference sets," *IEEE Trans. Antennas Propag.*, vol. 59, no. 5, pp. 1546-1552, May 2011.

- [65] G. Oliveri, F. Caramanica, and A. Massa, "Hybrid ADS-based techniques for radio astronomy array design," IEEE Trans. Antennas Propag. - Special Issue on "Antennas for Next Generation Radio Telescopes," vol. 59, no. 6, pp. 1817-1827, Jun. 2011.
- [66] M. Carlin, G. Oliveri, and A. Massa, "On the robustness to element failures of linear ADS-thinned arrays," IEEE Trans. Antennas Propag., vol. 59, no. 12, pp. 4849-4853, Dec. 2011.
- [67] P. Rocca, "Large array thinning by means of deterministic binary sequences," IEEE Antennas Wireless Propag. Lett., vol. 10, pp. 334-337, 2011.
- [68] P. Rocca, R. L. Haupt, and A. Massa, "Interference suppression in uniform linear array through a dynamic thinning strategy," IEEE Trans. Antennas Propag., vol. 59, no. 12, pp. 4525-4533, Dec. 2011.
- [69] G. Oliveri and A. Massa, "Fully-interleaved linear arrays with predictable sidelobes based on almost difference sets," IET Radar, Sonar & Navigation, vol. 4, no. 5, pp. 649-661, 2010.
- [70] G. Oliveri, P. Rocca, and A. Massa, "Interleaved linear arrays with difference sets," Electronics Letters, vol. 46, no. 5, pp. 323-324, Mar. 2010.
- [71] G. Oliveri, L. Manica, and A. Massa, "On the impact of mutual coupling effects on the PSL performances of ADS thinned arrays," Progress in Electromagnetic Research, PIER B, vol. 17, pp. 293-308, 2009.
- [72] G. Oliveri, M. Donelli, and A. Massa, "Linear array thinning exploiting almost difference sets," IEEE Trans. Antennas Propag., vol. 57, no. 12, pp. 3800-3812, Dec. 2009.
- [73] G. Oliveri, F. Caramanica, M. D. Migliore, and A. Massa, "Synthesis of non-uniform MIMO arrays through combinatorial sets," IEEE Antennas Wireless Propag. Lett., vol. 11, pp. 728-731, 2012.

*This report is submitted in partial fulfillment of the degree of the course "ACM".
Supervisors: Prof. A. Massa, Dr. M. Carlin, Dr. P. Rocca.*